(T) (T)

SIXTH REVISED PAGE 1

SUPERSEDING FIFTH REVISED PAGE 1

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

TRICIA CONWAY	•
	TABLE OF CONTENTS
Section	Description
	Title Page Table of Contents Preface
1	Application of Tariff
2	General Regulations
3	Dedicated Access Service
4	Switched Access Service
5	Supplemental Services
6	Reserved for Future Use
7	Reserved for Future Use
8	Reserved for Future Use
9	AT&T Wavelength Metro sm (AWM) (formerly known as AT&T Dedicated Ethernet)
10	Reserved for Future Use
11	Reserved for Future Use
12	Miscellaneous Charges
	Price List

FOURTH REVISED PAGE 1

SUPERSEDING THIRD REVISED PAGE 1

ISSUED:	API	RIL	15,	2025
EFFECTI	VE:	MAY	(15 ,	2025
TRICIA	CON	WAY,	DIF	RECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

AT&T Wavelength Metro^s (AWM) is a fiber based, point-to-point, Ethernet (T) service that allows Customers to transport data signals between two locations. AWM can be used to transport data as an Ethernet signal or (T) embedded within an Optical Transport Network (OTN) signal.

AWM may be purchased by both Carriers and End Users. AT&T reserves the right (T) to make individualized decisions regarding the provision of AWM to individual (T) customers. AT&T may negotiate the specific prices and terms for AWM for each individual customer. (T)

In addition, General Regulations found in Section 2 apply, unless specified (T) herein. The following General Regulations do not apply to AWM:

Section	Description
2.4.1	Description of Rates and Charges
2.4.5	Credit Allowance for Service Interruptions
2.4.8	Ordering, Rating and Billing of Access Services Where
	More Than One Local Telephone Company is Involved
2.4.11	Moves, Adds and Changes
2.8	Service Availability and Rating Information
2.12	Automatic Number Identification Terms and Conditions
2.13	Ordering Options for Access Services

9.1 SERVICE DESCRIPTION

AWM is available at the following speeds and format options:

Optical Transport Network (OTN) Signal Formats						
Speeds Ethernet Formats Optical Transport Unit						
1 Gbps	1GE – Gigabit Ethernet	Not available				
2.5 Gbps	Not available	OTU1				
10 Gbps	10GE LAN-PHY	OTU2e				
	10GE WAN-PHY	OTU2				
40 Gbps	40GE	OTU3				
100 Gbps	100GE	OTU4				

THIRD REVISED PAGE 2 SUPERSEDING SECOND REVISED PAGE 2

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.2 GEOGRAPHIC AVAILABILITY

AT&T Wavelength MetroSM (AWM) provides intraLATA transport service (T) where suitable equipment and facilities are available in selected areas within the LATAs served by the Company.

Where facilities are not available, facilities may be constructed, subject to certain conditions as determined by the Company. Special Construction charges may apply as provided in the General Regulations (Section 2) of this Tariff.

(T)

SECOND REVISED PAGE 3 SUPERSEDING FIRST REVISED PAGE 3

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.3 STANDARD RATE ELEMENTS

9.3.1 Port Connection


The Port Connection is the standard rate element that includes the service interface (point of demarcation) at the Customer-designated premises (Customer Site), any network termination equipment (NTE) placed at the Customer Site, and the physical transport facilities from the Customer Site to the AT&T Wavelength MetroSM (AWM) network at the serving wire center for that Site.

One Port Connection charge applies per Customer Site at which the Port Connection is terminated. This charge will apply even if the Customer Site and the serving wire center are both located in the same building (e.g., Carrier Point-of Presence, etc.).

A. Port Connection Configurations

Same Speed/Same Format

- Ethernet to Ethernet (e.g., 1GE to 1GE); or
- Optical Transport Network (OTN) to Optical Transport Network (OTN) (e.g., OTU1 to OTU1)



This example illustrates a 1 Gbps Ethernet circuit from Customer Site A to Customer Site B for a same speed/same format arrangement. In this example, two - 1 Gbps Ethernet Port Connection charges are applicable.

THIRD REVISED PAGE 4 SUPERSEDING SECOND REVISED PAGE 4


ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.1 Port Connection (continued)
 - A. Port Connection Configurations (continued)

Same Speed/Different Format

• Optical Transport Network (OTN) to Ethernet (e.g., 10GE to OTU2)



This example illustrates a same speed/different format circuit configuration where there is a 10 Gbps WAN-PHY Port Connection between Customer Site A and the serving wire center and a 10 Gbps OTU2 Port Connection between Customer Site B and the serving wire center. In this circuit example, both a 10 Gbps WAN-PHY and a 10 Gbps OTU2 Port Connection charge would apply.

FIRST REVISED PAGE 4.1 SUPERSEDING ORIGINAL PAGE 4.1

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.1 Port Connection (continued)
 - B. Higher Speed Aggregation


Higher Speed Aggregation permits Customers to connect a lower-speed AT&T Wavelength MetroSM (AWM) Port Connection to a (T) channelized, higher-speed AWM Port Connection. (T)

OTU2 (10Gbps) and OTU4 (100Gbps) AWM Port Connections may be (T) purchased as either channelized or non-channelized. A channelized Port Connection includes a channelized circuit that terminates at a multiplexer within a serving wire center.

A channelized OTU2 Port Connection can be connected to up to eight (8) 1 Gbps Ethernet Port Connections or four (4) OTU1 Port Connections, or any other combination of such Port Connections, up to the available capacity of the channelized OTU2 Port Connection.

A channelized OTU4 Port Connection can be connected to up to ten (10) 10 Gbps Ethernet Port Connections in any combination of types (10GE LAN-PHY, 10GE WAN-PHY, OTU2e or OTU2), up to the available capacity of the channelized OTU4 Port Connection.

Higher Speed Aggregation Configuration (example)



(T)

FIRST REVISED PAGE 4.2 SUPERSEDING ORIGINAL PAGE 4.2

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.1 Port Connection (continued)
 - B. Higher Speed Aggregation (continued) In the example of a higher speed aggregation arrangement depicted in the diagram above, there are three AT&T Wavelength MetroSM (AWM) circuits as follows:
 - Circuit #1 A Channelized OTU4 (100Gbps) circuit from Customer Site A that terminates at a multiplexer within the Serving Wire Center.
 One (1) OTU4 (100Gbps) Port Connection monthly recurring charge applies to Circuit #1.
 - Circuit #2 A 10Gbps Ethernet LAN-PHY circuit from Customer Site B to Customer Site A. Circuit #2 occupies a channel of the higher-speed Circuit #1 from the Serving Wire Center location to Customer Site A.
 One (1) 10 Gbps Ethernet LAN-PHY Port Connection monthly recurring charge applies to Circuit #2 for the Port Connection at Customer Site B.
 No Port Connection charge applies to the portion of Circuit #2 that occupies a channel of Circuit #1 (i.e., SWC to Customer Site A).

Circuit #3 - An OTU2 (10Gbps) circuit from Customer Site C to Customer Site A. Circuit #3 occupies a channel of the higherspeed Circuit #1 from the Serving Wire Center location to Customer Site A.
One (1) OTU2 (10Gbps) Port Connection monthly recurring charge applies to Circuit #3 for the Port Connection at Customer Site C.
No Port Connection charge applies to the portion of Circuit #3 that occupies a channel of Circuit #1 (i.e., SWC to Customer Site A).

(T)

(T)

(T)

FIRST REVISED PAGE 4.3

SUPERSEDING ORIGINAL PAGE 4.3

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

> 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET)

9.3 STANDARD RATE ELEMENTS (continued)

9.3.2 Protection Options

Protection options are available for AT&T Wavelength Metro SM (T) (AWM) as follows: (T)

• Port Protection

Plus Protection cannot be combined with Diversity options except in the case of the Stand-Alone Alternate Wire Center (AWC) Diversity option.

Protection options are available where facilities and/or operating conditions permit. Where facilities and/or operating conditions do not permit, special construction charges may apply as set forth in the General Regulations (Section 2) of this Tariff.

Protection offers a duplicate AWM signal path routed on two (T) different fiber pairs (a working path and a standby path) to provide increased reliability.

In the event of a failure of the working path, AWM will switch to the surviving path. In the event of a failure of both fiber transmission paths, an out-of-service condition will result.

Limitations:

- Protection is not available for same speed/different format circuit configurations.
- Protection is not available for higher speed aggregation configurations (i.e., protection is not available for channelized circuits and circuits connecting with a channelized circuit).

FIRST REVISED PAGE 4.4 SUPERSEDING ORIGINAL PAGE 4.4

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.2 Protection Options (continued)
 - A. Port Protection Plus

Port Protection Plus is an end-to-end (fully protected) protection option that offers a duplicate AT&T Wavelength (T) MetroSM (AWM) signal routed over two diversely routed fiber (T) paths, a working path and a standby path. Port Protection Plus also includes dual card protection at each Customer Site whereby the working path and standby paths terminate into two separate cards on a single shelf in the NTE at each of the Customer Sites. The Port Protection Plus optional feature must be selected for both Customer Sites in addition to the normal Port Connection charges. Port Protection Plus is available only for AWM circuits (T) that meet the following conditions:

- The circuit must be configured as a same speed/same format arrangement; and
- Neither end of the circuit can terminate at a collocation arrangement.

FOURTH REVISED PAGE 5 SUPERSEDING THIRD REVISED PAGE 5

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.3 STANDARD RATE ELEMENTS (continued)

9.3.3 Diversity Options

Diversity options are available for AT&T Wavelength MetroSM (T) (AWM) as follows: (T)

- Port Diversity
- Alternate Wire Center Diversity
- Inter-Wire Center Diversity

Protection cannot be combined with Diversity options except in the case of the Stand-Alone Alternate Wire Center (AWC) Diversity option.

Diversity options are available where facilities and/or operating conditions permit. Where facilities and/or operating conditions do not permit, special construction charges may apply as set forth in the General Regulations (Section 2) of this Tariff.

Diversity options minimize single points of failure by creating two circuits, or portions of a circuit, that are diverse from one another. With these arrangements, one or more circuits will be provisioned over the normal path and one or more circuits will be provisioned over the diverse path. Customers may transport traffic over both circuits.

Customers requesting diversity will be billed for two circuits plus the applicable diversity charge(s) for the portions of the circuit that are physically diverse.

Diversity options do not include construction of dual entrance facilities. If a Customer desires dual entrance facilities and they do not currently exist, arrangements must be made for constructing dual entrance facilities at the Customer's expense.

Limitations:

• Port Diversity and Alternate Wire Center Diversity cannot be selected at the same Customer Site location for the same AWM Port Connection.

FOURTH REVISED PAGE 6 SUPERSEDING THIRD REVISED PAGE 6


ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.3 Diversity Options (continued)
 - A. Port Diversity

Port Diversity is a feature that provides transmission paths (a normal path and a diverse path) which are diverse from each other between two designated AT&T Wavelength MetroSM (AWM) Port Connections from one or more Customer Sites to their serving wire centers.

The fiber path from each designated Port Connection to its serving wire center will be diverse from each other from the closest available point of divergence (e.g., the closest manhole to the Customer Site). These two designated Port Connections must be purchased by the same Customer.

Port Diversity requires the Customer to purchase duplicate Port Connections (to establish a normal path and a diverse path) from the Customer Site(s) to its serving wire center(s). In addition, a Port Diversity Charge applies on the diverse path circuit for each pair of designated Port Connections at any Customer Site where Port Diversity is requested.



FOURTH REVISED PAGE 7

SUPERSEDING THIRD REVISED PAGE 7

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR


9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.3 Diversity Options (continued)
 - B. Alternate Wire Center Diversity
 - Alternate Wire Center Diversity is a feature that provides transmission paths (a normal path and a diverse path), which are diverse from each other between two designated AT&T Wavelength MetroSM (AWM) Port Connections. The normal path is routed to its normal serving wire center and the diverse path is routed to an alternate wire center.

The Company will choose the alternate wire center that is capable of providing AWM over the alternate route.

The fiber path from each designated Port Connection to its applicable serving wire center (normal and alternate) will be diverse from each other from the closest available point of divergence (e.g., the closest manhole to the Customer Site). These two designated Port Connections must be purchased by the same Customer.

Alternate Wire Center Diversity requires the Customer to purchase duplicate Port Connections (to establish a normal path and a diverse path) from the Customer Site(s) to the applicable serving wire center(s). In addition, an Alternate Wire Center Diversity Charge applies on the diverse path circuit for each pair of designated Port Connections at any Customer Site where Alternate Wire Center Diversity is requested.



(T)


THIRD REVISED PAGE 8 SUPERSEDING SECOND REVISED PAGE 8

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.3 Diversity Options (continued)
 - B. Alternate Wire Center Diversity (continued)
 - 2. Stand-Alone Alternate Wire Center (AWC) Routing

Alternate Wire Center Diversity is available as a standalone AWC arrangement where there is no actual diversity. In this arrangement, an AT&T Wavelength (T) MetroSM (AWM) Port Connection is routed to an alternate (T) wire center rather than its normal serving wire center.

The Customer is assessed a Port Connection Charge and an Alternate Wire Center Diversity charge for a stand-alone AWC route connecting the Customer Site to the alternate serving wire center.



The Port Connection is routed to a serving wire center other than its normal serving wire center in a Stand-Alone AWC arrangement.

FOURTH REVISED PAGE 9 SUPERSEDING THIRD REVISED PAGE 9

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR


9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.3 STANDARD RATE ELEMENTS (continued)
 - 9.3.3 Diversity Options (continued)
 - C. Inter-Wire Center (IWC) Diversity

IWC Diversity is a feature that provides a transmission path between the serving wire centers for each end of the circuit that is separate from the normal transmission path. IWC Diversity arrangements are available only where each end of an AT&T Wavelength MetroSM (AWM) circuit is provided from a different serving wire center.

IWC Diversity requires the Customer to purchase duplicate Port Connections. An IWC Diversity charge applies to the AWM circuit designated with the diverse (T) IWC path.

The IWC Diversity option can be selected on its own or in combination with the Port Diversity and Alternate Wire Center Diversity options.



In the IWC Diversity example above, there are two AWM circuits between Customer Site A and Customer Site B as follows:

- Circuit #1 is the normal path circuit and consists of two Port Connection Charges.
- Circuit #2 has the IWC Diversity feature to provide a diverse IWC path from Circuit #1. Circuit #2 consists of two Port Connection Charges plus an IWC Diversity Charge.

(T)

(T)

THIRD REVISED PAGE 10 SUPERSEDING SECOND REVISED PAGE 10

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.4 SERVICE LEVEL AGREEMENTS (SLAs)
 - 9.4.1 Credit Allowance for Service Interruptions

AT&T Dedicated Ethernet provides credits in the event of a service interruption. The amount of the credit depends on whether the AT&T Wavelength MetroSM (AWM) circuit is unprotected or protected.

A service is interrupted when it becomes unusable to the Customer because of a failure of a facility component used to furnish service under this Tariff, or in the event that the protective controls applied by the Company result in the complete loss of service by the Customer for reasons not attributable to the Customer. An interruption period starts when a service disruption of greater than ten (10) consecutive seconds is reported to the Company and the Company confirms that continuity of its service has been lost. An interruption period ends when the service is operative.

The service interruption credits listed below are in lieu of, and not in addition to, the credit allowances for service interruptions provided for in the General Regulations (Section 2) of this Tariff.

- A. Credit Allowance for Service Interruptions (Unprotected Arrangements)
 In case of an interruption to an unprotected AWM circuit, (T) an allowance for the period of interruption shall be calculated as follows:
 - No credit shall be allowed for an interruption of less than 10 seconds.
 - Credit will be provided for an interruption of 10 seconds or more at the rate of 10/8640 of the monthly charges for the affected AWM circuit for each period of 5 minutes or major fraction thereof that the interruption continues.

(T)

The credit allowance(s) for service interruptions shall not exceed 100 percent of the applicable monthly rates for the affected circuit(s).

(T) (T)

FIRST REVISED PAGE 10.1

SUPERSEDING ORIGINAL PAGE 10.1

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.4 SERVICE LEVEL AGREEMENTS (SLAs) (continued)
 - 9.4.1 Credit Allowance for Service Interruptions (continued)
 - B. Credit Allowance for Service Interruptions (Fully Protected)

A Service Level Agreement (SLA) of 99.999 percent service availability performance in each calendar month is provided for each fully protected AT&T Wavelength MetroSM (AWM) circuit, subject to the limitations set forth herein.

An AWM circuit is considered to be fully protected only (T) if the Port Protection Plus feature is selected on both ends (both Port Connections) of an AWM circuit. (T)

If this SLA is not met in any calendar month, the Customer will be entitled to a credit equal to 100 percent of the monthly rate for the Port Connections which were interrupted, including the protection feature rate elements associated with that Port Connection, not to exceed the total monthly charges for the affected circuit(s).

To qualify as a service interruption for the purposes of determining whether this Service Availability SLA has been met, any service interruption must be greater than ten (10) consecutive seconds and determined by the Company to be in its network.

The Customer is responsible for notifying the Company when the service parameter within the calendar month falls below the committed level. The Customer must request a service credit adjustment within 25 days after the end of the month when the failure occurred.

SECOND REVISED PAGE 11 SUPERSEDING FIRST REVISED PAGE 11

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.4 SERVICE LEVEL AGREEMENTS (SLAs) (continued)
 - 9.4.2 SLA Exclusions

The SLA provisions, measurements, and eligibility for credit shall exclude conditions wherein service performance was adversely affected by any of the following conditions:

- Any cause beyond the Company's reasonable control (force majeure events) including, but not limited to, acts of war, civil disturbances, acts of civil or military authorities or public enemies, earthquakes, hurricanes, floods, fires, storms, tornadoes, explosions, lightning, power surges or failures, fiber cuts, strikes or labor disputes;
- Failures of any structures, facilities or equipment provided by the Customer or its contractors, equipment vendors, or by any carrier or service provider other than the Company;
- Interruptions caused by the negligence of the Customer.
- Interruptions of a service during any period in which the Company is not afforded access to the premises where the service is terminated.
- When the Company and the Customer negotiate the release of the service for (1) maintenance purposes, (2) to make rearrangements or (3) to implement an order for a change in the service, a credit does not apply during the negotiated time of release.
- Periods when the Customer elects not to release the service for testing and/or repair and continues to use it on an impaired basis.
- Data loss during the Company's scheduled maintenance windows;
- Failures of any structures, facilities or equipment on the Customer's side of the demarcation point.

The total credit amount of any allowances for interruptions and SLA credits applicable in a given month shall not exceed 100% of the monthly recurring charge for the affected AT&T Wavelength MetroSM (AWM) circuit(s).

THIRD REVISED PAGE 12

SUPERSEDING SECOND REVISED PAGE 12

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.5 GENERAL PROVISIONS

- 9.5.1 Payment, Billing and Calculation of Charges
 - A. General Charges and Fees

Gross Receipts Tax Allotment

When utility or telecommunications assessments, franchise fees, privilege, license, occupational, excise, or other similar taxes or fees, based on receipts or assets are imposed by certain taxing jurisdictions upon the Company or upon LECs and passed on to the Company through or with access charges, the amounts of such taxes or fees will be billed to Customers in such a taxing jurisdiction on a prorated basis. The Gross Receipts Tax Allotment applicable to Customer for a given taxing jurisdiction is equal to the applicable Tax Factor (which may vary from time to time), multiplied by the net charges for the services subject to such taxes or fees provided to and billed to each Customer Site in such a taxing jurisdiction. The bill display name for and the amount of the Gross Receipts Tax Allotment may vary from state to state.

B. Miscellaneous Charges

1. Return Check Fee

A Return Check Fee may be applied to Customer's bill for each occasion that a check, bank draft, or an electronic funds transfer item is returned for the reason of insufficient funds or no account. See the Price List for the current charge.

THIRD REVISED PAGE 13 SUPERSEDING SECOND REVISED PAGE 13

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.5 GENERAL PROVISIONS (continued)
 - 9.5.2 Reserved For Future Use

THIRD REVISED PAGE 14 SUPERSEDING SECOND REVISED PAGE 14

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.5 GENERAL PROVISIONS (continued)

9.5.2 Reserved For Future Use (continued)

SECOND REVISED PAGE 15 SUPERSEDING FIRST REVISED PAGE 15

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.5 GENERAL PROVISIONS (continued)
 - 9.5.3 Connections
 - A. Responsibilities of Customer

Customer is responsible for any equipment or services not provided by the Company and connected to services provided by the Company. Any equipment or services connected to services provided by the Company must comply with the Company's interface requirements and with Part 68 of the F.C.C. Rules (47 C.F.R. Part 68), to the extent applicable.

B. Testing and Maintenance

If a trouble condition occurs, Customer must determine if the fault is in the equipment or services not provided by the Company. The Company will test and maintain only service provided by the Company. Company testing of service usually will be performed remotely. If the Company does dispatch a repair person, at Customer's request, to the Customer Site to perform tests or repairs in connection with a Customer-reported trouble, and testing discloses that the Company service is working correctly, then a Maintenance of Service Charge or other administrative charge may apply.

C. Changes

The Company is not responsible to Customer or any other party if a change in the Company's Service Components, operations, or procedures, (a) affects any equipment or services provided by others, or (b) requires their modification or upgrade in order to be used with Company service. The Company is not obligated to alter or modify Company service because of additions or changes to equipment or service not provided by the Company.

SECOND REVISED PAGE 16 SUPERSEDING FIRST REVISED PAGE 16

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)
- 9.5 GENERAL PROVISIONS (continued)
 - 9.5.4 Special Construction
 - A. No License Granted

No license under patents (other than the limited license to use) is granted by the Company or shall be implied or arise by estoppel, with respect to any plant constructed or utilized under this Tariff.

B. Cancellation of Orders

Information regarding availability of suitable facilities for a service may not be known until after the order is placed with the Company or the underlying service provider, or after initial Special Construction charges have been identified and paid. The Customer may be notified that additional Special Construction charges apply to the order. No facilities construction will begin until the Customer has agreed in writing to pay the Special Construction charges initially identified. If Customer does not agree to pay the Special Construction charges, either upon the initial notification or upon being notified of any subsequent changes in the Special Construction charges, the order for the service giving rise to such Special Construction charges will be considered cancelled (and, where such service has been ordered for the express purpose of being connected to another Company Service, Customer may also cancel its order for such other Company Service). In such a case, the Company will not charge Customer a cancellation charge or early termination charge, unless the underlying service provider charges the Company a cancellation charge. If Customer does agree to pay the Special Construction charges and thereafter cancels the order for the service (other than as a result of being notified of subsequent changes to the Special Construction charges), a cancellation charge will apply, which shall include (in addition to any amounts otherwise payable on account of such cancellation) all non-recoverable costs incurred by the Company for the Special Construction.

(T)

(T)

SECOND REVISED PAGE 17 SUPERSEDING FIRST REVISED PAGE 17

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.6 TYPES OF RATES AND CHARGES

9.6.1 Non-Recurring Charges

Non-Recurring charges are one-time charges that apply for specific work activity (i.e., installation or change to an existing service) related to the provisioning of AT&T Wavelength MetroSM (AWM). The types of Non-Recurring charges that apply for AWM are:

Installation of Service A charge which applies to each service installed.

Administrative Charge A charge which applies for each service order.

Design and Central Office Connection Charge

A charge which applies any time a customer-initiated order for service requires engineering design and/or connection or changes at the Company central office. This charge applies once per circuit.

Customer Connection Charge

A charge which applies any time a customer-initiated order for service requires connection or changes to a Port Connection. This charge applies once per Port Connection affected by the order.

Installation of Optional Features and Functions Non-Recurring charges apply for the installation of the optional features and functions available with AT&T Dedicated Ethernet. The charge applies whether the feature or function is installed coincident with the initial installation of service or at any time subsequent to the installation of the service.

Service Rearrangements Service rearrangements are changes to existing (installed) services which do not result in either:

- A change in the minimum period of the service, or
- A change in the physical location of the point of termination at a Customer Site.

9.6.2 Recurring Charges

Recurring Charges are rates that apply each month, or fraction thereof, that the service is provided. For billing purposes, each month is considered to have 30 days.

SECOND REVISED PAGE 18 SUPERSEDING FIRST REVISED PAGE 18

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR (T) 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) WAVELENGTH PAYMENT PLAN (WPP) 9.7 (T) 9.7.1 WPP Eligibility (T)To subscribe to AT&T Wavelength MetroSM, (AWM) the Customer (T) must select an WPP term of either 12, 24, 36 or 60 months. (T) (T) AWM is not available to be subscribed to on a month-to-month basis. 9.7.2 Non-Recurring Installation Charges Non-Recurring Installation Charges shown in the Price List section will be waived for Customers subscribing to new service under an WPP of 24 months or greater. (T) 9.7.3 WPP Term (T) During the Customer's WPP term, Company-initiated recurring (T) rate changes (i.e., rate increases or decreases) will be (T) automatically applied to the Customer's WPP rates for the months remaining in the Customer's WPP term. However, at no time during the Customer's WPP term will rates exceed the (T) Customer's initial WPP rates.

9.7.4 WPP Auto Renewal

Customers may subscribe to the WPP Auto Renewal option at any (T) time prior to expiration of their WPP term plan. WPP Auto (T)Renewal provides for a continuation of the rates under the WPP term the Customer last completed for additional (T) consecutive12-month periods, subject to termination as provided below.

For instance, a Customer that has subscribed to the WPP Auto (T) Renewal option prior to completion of a 60 month WPP term (T)will continue to receive the 60 month WPP rate during the 12-(T) month extension period.

WPP Auto Renewal will continue to automatically extend the (T) Customer's term every year for an additional 12-month period unless either party provides written notice of its intent not to renew at least 60 days prior to the expiration of the initial WPP term or any additional 12-month period.

An Administrative Charge is applicable when Customers add or remove the WPP Auto Renewal option, unless other changes for (T) which an Administrative Charge is applicable are also being performed.

Termination Liability will apply below, for service disconnected during a 12-month extension period, based upon the number of months remaining in that 12-month extension period.

- (T)

(T)

(T)

SECOND REVISED PAGE 19 SUPERSEDING FIRST REVISED PAGE 19

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

9.7 WAVELENGTH PAYMENT PLAN (WPP) (continued)

9.7.5 Termination Liability

Termination Liability will apply if the service is disconnected prior to the end of the selected WPP term. Termination (T) Liability will be determined based on the number of months remaining in the EPP term times 50% of the applicable WPP monthly rates, calculated as follows: (T)

(WPP Monthly Recurring Rate) X (Months Remaining in WPP term) X (T) (50%) = Termination Liability Charge

Example:

An AT&T Wavelength MetroSM (AWM) Customer with a \$6,000.00 (T) monthly rate terminates service after 2 years with 1 year (12 months) remaining in a 3 year WPP Term. The termination (T) liability charge would be calculated as:

\$6,000 X 12 X .50 = \$36,000.00 = Termination Liability

9.7.6 Expiration of WPP Term

When a WPP term or subsequent 12-month extension period (T) expires, (and the Customer's term is not extended pursuant to the Auto Renewal option above), the Customer may select a new WPP term from among any WPP options which are then available to (T) new Customers hereunder. WPP rates in effect at the time the new WPP term starts will apply. An Administrative Charge is applicable when Customers select a new WPP term. (T)

9.7.7 Term Extension

The Monthly Extension Rates (MER) will apply when a Customer's WPP term or subsequent 12-month extension period expires (and (T) the Customer's term is not extended pursuant to the Auto Renewal option above). The Customer will be billed the MER rates then in effect until such time as the Customer selects a new WPP or the Service is terminated. (T)

THIRD REVISED PAGE 20 SUPERSEDING SECOND REVISED PAGE 20

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

- 9.7 WAVELENGTH PAYMENT PLAN (WPP) (continued)
 - 9.7.8 Conversions

During the Customer's WPP term, conversions may be made to a (T) new WPP term of the same or greater length, from among any WPP options which are then available to new Customers hereunder. The expiration date of the new WPP term must be beyond the expiration date of the original WPP term. With the conversion to the new WPP term, the Customer incurs no liability for the remaining months on the original WPP term. (T)

9.7.9 Administrative Charge

An Administrative Charge is applicable when Customers select a new WPP term or change the length of an existing WPP term. (T)

9.7.10 Moves

> Moves will be treated as a discontinuance of service and activation of new service. The previously waived nonrecurring charges at the location(s) from which the circuit is being moved will be billed (if WPP term has not expired). (T)

> The Customer must select an WPP term for the new circuit. (T)The new WPP term will be subject to the rates in effect at (T)the time of the move. Termination Liability will apply for such a move except where all of the following conditions apply:

The move is limited to one end of the AT&T Wavelength (T) MetroSM (AWM) circuit moving to a different Customer Site. (T) The Customer's existing service must have been in place for at least 12 months. The Customer must select a new WPP with a term that is (T) greater than or equal to the remainder of the existing WPP. (T) Orders from the Customer to disconnect the existing service and reestablish service at the new location must be placed by the same Customer and received by the Company on the same date. No lapse in billing will occur for moves of service under an WPP. If the Customer requests that both the existing (T) AWM circuit and the new AWM circuit be in service at the (T) same time, such "overlapping" service shall be provided for no more than 30 days, and all applicable charges will be billed for both circuits during the period of overlapping service.

SECOND REVISED PAGE 21

SUPERSEDING FIRST REVISED PAGE 21

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9.	AT&T WAV	ZELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET)	(T)
9.7		ENGTH PAYMENT PLAN (WPP) (continued) Upgrades	(T)
		The following activities are considered Upgrades for AT&T Wavelength Metro^{SM} (AWM):	(T)
		Upgrades of AWM from a lower capacity to a higher- capacity speed option (e.g., conversion from a 1 Gbps to a 10 Gbps speed option).	(T)
		Same speed conversions of AWM (e.g. 10GE LAN-PHY to 10GE WAN-PHY, 40GE to OTU3, etc.) Replacement of AWM with Company-provided service at a	(T) (T)
		transport speed or capacity greater than the speed or capacity available with AWM, or at the same transport speed or capacity as available with AWM, but with enhanced technology or functionality not available with AWM.	(T) (T) (T) (T)
		Upgrades will be treated as a discontinuance of service and activation of new service. The Customer must select an WPP term for the new circuit. The monthly rates for the new service will be those rates in effect at the time the new	(T)
		service is installed. 100% of any waived non-recurring charges will apply if WPP term has not expired. The Customer will experience an out of service condition unless overlapping service is requested. Upgrades are contingent on availability of equipment and fiber facilities. Other Special Construction charges, as necessary, may apply.	(T)
		WPP Termination Liability will not apply for upgrades, if all of the following conditions are met:	(T)

The new and existing services must be billed to the same Customer at the same Customer location; and The Customer's existing AWM must have been in place for (T) at least 12 months; and The WPP term for the new service must be equal to or (T) greater than the remainder of the Customer's existing WPP term; and (T) The order for the new service and the disconnect order for the existing service must be placed by the Customer and received by the Company on the same date; and If the Customer requests that both the existing AWM and (T) the new higher level service be in service at the same time, such "overlapping" service shall be provided for no more than 90 days, and all applicable charges will be billed for both services during the period of overlapping service; and No lapse in service occurs.

ISSUED:	APRIL	15,	2025
EFFECTI	VE: MAY	15,	2025
TRICIA	CONWAY,	DIR	ECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

RATES AND CHARGES

9.3.1 Port Connection

		Monthly Recurring Charge Mont				Monthly
		12	24	36	60	Extension
Description	USOC	Months	Months	Months	Months	Rate
1 Gbps	EYFNX	\$3,750	\$3,500	\$3,200	\$2,750	\$4,250
Ethernet						
OTU1	EYFOX	7,500	7,000	6,400	5,500	8,500
(2.5Gbps)		-			-	
10 Gbps Etherr	net					
LAN-PHY	EYFNX	11,750	11,000	10,000	8,500	13,250
WAN-PHY	EYFNX	11,750	11,000	10,000	8,500	13,250
OTU2/2e	EYFOX	12,925	12,100	11,000	9,350	14,575
(10Gbps)						
40 Gbps	EYFNX	29,375	27,500	25,000	21,250	33,125
Ethernet		-			-	
OTU3	EYFOX	29,375	27,500	25,000	21,250	33,125
(40Gbps)		-			-	
100 Gbps	EYFNX	41,125	38,500	35,000	29,750	46,375
Ethernet						
OTU4	EYFOX	45,250	42,350	38,500	32,725	51,000
(100Gbps)						

PRICE LIST FIRST REVISED PAGE 28.1

SUPERSEDING ORIGINAL PAGE 28.1

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

RATES AND CHARGES (continued)

9.3.2 Protection Options

	Monthly Recurring Charge					
Description	12 Months	24 Months	36 Months	60 Months	Monthly Extension Rate	NRC
Port Protect	ion Plus (DV9CX)				
1 Gbps Ethernet (1GE)	\$3,950	\$3,675	\$3,360	\$2,900	\$4,500	\$1,000
10 Gbps Eth	ernet (10G	E)				
LAN-PHY	13,600	12,700	11,550	9,825	15,300	1,000
WAN-PHY	13,600	12,700	11,550	9,825	15,300	1,000
OTU2/OTU2e (10Gbps)	13,600	12,700	11,550	9,825	15,300	1,000
40 Gbps Ethernet (40GE)	35,250	33,000	30,000	25,500	39,750	1,000
OTU3 (40Gbps)	35,250	33,000	30,000	25,500	39,750	1,000
100Gbps Ethernet (100GE)	54,300	50,820	46,200	39,270	61,200	1,000
OTU4 (100Gbps)	54,300	50,820	46,200	39,270	61,200	1,000

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T) RATES AND CHARGES (continued)

9.3.3 Diversity Options

	Monthly Recurring Charge				Monthly	Non-
	12	24	36	60	Extension	Recurring
Description	Months	Months	Months	Months	Rate	Charge
Port Diversit	y (DV9AX	()				
All Speeds	\$1,000	\$ 875	\$ 800	\$ 700	\$1,100	\$ 450
Alternate Wir	Alternate Wire Center (AWC) Diversity (CPAAX)					
All Speeds	\$1,125	\$1,000	\$ 950	\$ 825	\$1,275	\$ 625
Inter-Wire Center (IWC) Diversity (DV9BX)						
All Speeds	\$ 750	\$ 700	\$ 650	\$ 550	\$ 850	\$ 450

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

- 9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T) RATES AND CHARGES (continued)
 - 9.5.1 Payment, Billing and Calculation of Charges
 - 9.5.1.(B)(1)Check Return Fee

Per occasion	\$25.00
--------------	---------

ISSUED: APRIL 15, 2025 EFFECTIVE: MAY 15, 2025 TRICIA CONWAY, DIRECTOR

9. AT&T WAVELENGTH METROSM (AWM) (FORMERLY KNOWN AS AT&T DEDICATED ETHERNET) (T)

RATES AND CHARGES (continued)

9.6.1 Installation and Rearrangement Charges

Description	USOC	Non-Recurring Charge				
Administrative Charge ¹						
- Per Order	ORCMX	\$ 60.00				
Design & Central Office Cor	nnection	Charge ¹				
- Per Circuit	NRBCL	600.00				
Customer Connection Charge ¹						
- Per Port Connection	NRBBL	1,500.00				

¹ The Non-Recurring Charges will be waived for Customers selecting the 24 Month, 36 Month or 60 Month Wavelength Payment Plan period for new service.